



1. Instructions




2. Replacement of the Integrated LED Chipset


1. Identify if the LED Chips on the Card have blown and require replacement.




2. Loosen the grommets securing the backing plate to the front of the fixture, but do not completely remove them.



3. Remove screws from the metal bracket and the white cable retainer. This will allow access to the casing holding the LED Card.




4. Carefully remove the LED Card from the backing plate.




2. Replacement of the Integrated LED Chipset


5. Refer to the diagram and gently maneuver the wires around on the replacement LED Card to facilitate easy installation into the LED backing plate.




6. Attach 3M tape to the back of the LED Card and thread wires through the holder, securing it in place.




7. Once the LED Card is in position, gently pull the wires around to ensure they are securely held.




8. Place the LED Card holder back into the front of the fixture and reattach the metal bracket and screws. Retighten the grommets.



9. Replace the white cable retainer and screws, ensuring that the cables are held securely.



10. Finally, reinstate the fixture in its original position.



3. Additional Information

This product must be installed by a skilled or instructed person in accordance with the current edition of the IET Wiring Regulations BS 7671 "Requirements for Electrical Installations" and the Buildings Regulations, as may be applicable subject to the location and country of the installation.

Should this product be modified, misused or not installed as per the instructions given, the product warranty shall be rendered void.

All information contained within these installation instructions manual is provided in good faith.

Orlight shall not be held responsible for any losses incurred as a result of the Customer's failure to follow the instructions manual thoroughly and in its entirety or failing to inspect the product for missing parts and/or any defects prior to installation.

For full Terms and Conditions, please visit our website at: <https://www.orlight.com/terms-and-conditions>

Installation

This miniature unit is designed for easy installation.

- (1) Cut a hole in the plasterboard/wall to the advised dimensions.
- (2) Connect the wires to the connectors.
- (3a) Hold down the top and bottom clips on the miniature unit together.
- (3b) Place fixture into hole.
- (4) Release clips and allow unit to sit in place.

Wiring

Disconnect the mains supply before installation. Ensure that the unit is installed and maintained by a certified professional and that installation conforms to any local building control standard applicable. Connect the wires to the connectors.