

Ref:

# ORL019MAXI-BL-GU10

Item No: ORL019MAXI – 12798

**orlight**<sup>®</sup>  
FROM SOURCE TO SITE

Architectural miniature downlight featuring an anti-glare baffle and minimal bezel. 70mm diameter for discreet installation with 360 Degree rotation and 35 Degree tilt facility. Clip lamp change mechanism with removable fascia for ease of maintenance. The fixture is available as IP20 & IP54. Please note this product is not suitable for use with conical fire hoods. Please contact the sales office for fire hood specification. Orlight does not recommend cutting of holes prior to receipt of product in hand.



## DIMENSIONS

## OPTICAL PERFORMANCE

|     |    |
|-----|----|
| LOR | 46 |
|-----|----|

## CONSTRUCTION

|                         |                   |
|-------------------------|-------------------|
| Installation            | RECESSED          |
| Construction            | ALUMINIUM         |
| Diameter                | 70 MM             |
| Height                  | 50 MM             |
| Cutout                  | 63 MM             |
| Weight                  | 0.09KG            |
| Tilt                    | 35°               |
| Rotation                | 360°              |
| Finish                  | BLACK             |
| RAL                     | RAL 9005          |
| IP Rating               | IP20              |
| Compatible Light Source | GU10 / ENGINE     |
| Lamp Change             | REMOVAL OF FASCIA |

## EMERGENCY

|                         |           |
|-------------------------|-----------|
| Emergency               | AVAILABLE |
| Emergency Configuration | REMOTE    |

ORL019MAXI-IP20

CIRCULAR  
CUT OUT: 63mm

35° Tilt  
ADJUSTABLE



# ORL019MAXI-BL-GU10


Item No: ORL019MAXI – 12798

**orlight**<sup>®</sup>  
FROM SOURCE TO SITE

## ADDITIONAL DIMENSIONS


ORL019MAXI-IP20 with  **LED ENGINES** CIRCULAR CUT OUT: 63mm

**ADJUSTABLE - 35° Tilt**  
Allow +5mm for Cable Clearance



ORL019MAXI-IP20 with  **GU10 LAMPS** CIRCULAR CUT OUT: 63mm

**ADJUSTABLE - 35° Tilt**  
Allow +20mm for Cable Clearance



## COMPATIBLE GU10 LAMP



LX4 - SWITCHED



LX5 - MAINS DIMMABLE

## COMPATIBLE LED ENGINE



DB6-R999



DB8-R999



DB8-F-R999



DB11-R999

# ORL019MAXI-BL-GU10

Item No: ORL019MAXI – 12798

**orlight**<sup>®</sup>  
FROM SOURCE TO SITE



**DB13-R999**


## ACCESSORIES



**MC3**  
11924  
Standard Mains Converter for ORL019MAXI



**MC3-WL**  
11925  
Standard Mains Converter for ORL019MAXI  
with flex



**LOUVRE-HC**  
11753  
Honeycomb Louvre