

Ref:

EXIT-LUME-PRM-CW

Item No: EXIT-LUME PREMIUM – 41817


orlight[®]
FROM SOURCE TO SITE

EXIT-LUME PREMIUM Surface Ceiling/Wall Mounted Standard is a high-end LED emergency exit sign for premium interiors requiring versatile installation and reliable emergency wayfinding. Brushed matte anodized aluminium body with a crisp acrylic legend, for a clean architectural look. Designed for surface-mounted ceiling or wall installation; suits interiors where emergency lighting must adapt to different mounting conditions without compromising design. Product images are for reference only; the final product may vary.



NEW!

DIMENSIONS



OPTICAL PERFORMANCE

Wattage	1W
Lumen Output	60LM
Efficacy	60LM/W
CCT	6000K
CRI	CRI > 80
Binning	2 STEP MACADAMS
Beam Angle	130°
Chipset	ORLIGHT LED
Calculated Chip Life	L70 > 105,000HRS

ELECTRICAL

Constant Current or Voltage	CONSTANT CURRENT
Voltage	220-240V
Driver Configuration	INTEGRAL

CONSTRUCTION

Installation	SURFACE
Construction	ALUMINIUM
Length	305 MM
Width / Depth	38 MM
Height	202 MM
Finish	MATT ANODIZED SILVER
IP Rating	IP20
IK Rating	IK06
Operating Ambient Temperature	5°C - 45°C

EMERGENCY

Emergency	YES
Emergency Configuration	INTEGRAL
Emergency Duration	EMERGENCY 3HRS
EM Lumen	60LM

EXIT-LUME-PRM-CW


Item No: EXIT-LUME PREMIUM – 41817

orlight[®]
FROM SOURCE TO SITE

ADDITIONAL PRODUCT IMAGES



ADDITIONAL DIMENSIONS



PLEASE NOTE:

Product images are for reference only; the final product may vary.

EXIT-LUME-PRM-CW

Item No: EXIT-LUME PREMIUM – 41817

RECESSED KIT



EXIT-LUME-PRM-RC-KIT
41821
Recessed Emergency Exit Sign Kit