

Ref:

ORLTL-TRACK-BL-3M

Item No: ORLTL-TRACK – 15586

orlight[®]
FROM SOURCE TO SITE

Standard track for Orlight's ORLTL range. This track features Aluminium construction and is finished in Black RAL9011 or White RAL9010. This track can be surface mounted or can be suspended with the use of Orlight's surface mounting kit. Configure and complete your ORLTL track with a selection of accessories below



CONSTRUCTION

Installation	SURFACE/SUSPENDED
Construction	ALUMINIUM
Length	3000 MM
Width / Depth	35.2 MM
Height	35.2 MM
Finish	BLACK
RAL	RAL 9011
IP Rating	IP20

DIMENSIONS



FIXING DETAILS

WIRING DIAGRAM

ORLTL-TRACK-BL-3M

Item No: ORLTL-TRACK – 15586

orlight[®]
FROM SOURCE TO SITE

POWER ENTRY



ORLTL-ACC-ERPE-BL
15530
End Right Power Entry



ORLTL-ACC-ELPE-BL
15526
End Left Power Entry



ORLTL-ACC-CPE-BL
15520
Central Power Entry

CONNECTOR



ORLTL-ACC-TRE2-BL
15563
'T' Shaped Right Entry Connector



ORLTL-ACC-TRE1-BL
15559
'T' Shaped Right Entry Connector



ORLTL-ACC-TLE1-BL
15551
'T' Shaped Left Entry Connector




ORLTL-ACC-TLE2-BL
15555
'T' Shaped Left Entry Connector



ORLTL-ACC-QC-BL
15547
Quad Connector



ORLTL-ACC-L90RE-BL
15542
'L' Shaped Right Entry Connector



ORLTL-ACC-L90LE-BL
15538
'L' Shaped Left Entry Connector



ORLTL-ACC-FCPE-BL
15534
Flexible Central Power Entry

PENDANT ADAPTER



ORLTL-ACC-3P-ADAPTER
15515
Track Pendant Adapter

ORLTL-TRACK-BL-3M

Item No: ORLTL-TRACK – 15586

orlight[®]
FROM SOURCE TO SITE

COUPLER



ORLTL-ACC-COUPLER-BL
15517
Coupler

END CAP



ORLTL-ACC-EC-BL
15524
End Cap

SUSPENSION KIT



ORLTL-SUSKIT-1.5M
15580
1.5M Suspension kit for ORLTL Track



ORLTL-SUSKIT-3M
15581
3M Suspension kit for ORLTL Track